

Cultural Information for:	Sunflower Vincent®s Series	Annual
Common Name:	Sunflower	
Botanical Name:	Helianthus annuus	
Seed Count:	450-500/ounce	16-18/gram
Optimum Germination Temperature:	75°F / 24°C	
Optimum Growing Temperature:	55-65°F / 13-18°C	

- Vincent®s are faster than competitive varieties -a shorter crop cycle means quicker profits!
- Day length neutral - better length under short days, more flexibility in programming
- Round, overlapping petals form sturdy flower heads that hold up better during transport
- An extra ring of petals provides a better filled and more attractive flower
- Upward facing flowers don't hang their heads, but look consumers proudly in the eye
- Deep orange color of Vincent®s Choice is the true 'Sunflower shade' that customers prefer
- Green heart of Vincent®s Fresh is a crisp, clear alternative to the current Sunflower market selection

Site Selection: Sunflower Vincent®s Choice and Fresh grow well in any type of soil. Choose a sunny site with good drainage.

Soil Preparation: Sunflowers do best planted in soils with relatively low nutrient content. Soils with an EC greater than 0.7 mmhos (2:1 dilution) will cause the plants to grow too tall. *Excessive Nitrogen, especially in the summer, causes plants to grow too vigorously with abnormal flower shapes.*

Seed Sowing: Sow seeds directly into beds and cover lightly with soil. Water the seed beds thoroughly being careful not to oversaturate the bed which depletes the soil of oxygen. For greenhouse sowings maintain a maximum air temperature of 75°F/25°C with a minimum soil temperature of 50°F/10°C. For outdoor production sow when the soil has warmed to a minimum of 50°F/10°C. Seeds germinate in about 6 days. 6 to 9 days after seedlings emerge, thin out leaving only the strongest and most sturdy seedlings. A final spacing of 4 x 5 inches/ 10 x 12 cm. is ideal. Dense growing will help to reduce the amount of side branching and yield a flower size of 5 inches/12 cm.

NOTE: *Vincent®s are very uniform and vigorous in growth therefore it's better to keep the sowing window shorter than with comparative varieties.*

Temperature: After thinning, maintain a minimum air temperature of 50°F/10°C at night, and a maximum of 75°F/25°C during the day.

Fertilizer: Sunflowers require less fertilizer to produce flower stems of high quality. Fertilize with a calcium nitrate-based formulation at 50-75 ppm N, targeting a media EC between 0.5 to 0.7 mmhos (2:1 slurry). Monthly supplemental drenches with magnesium sulfate (MgSO4) at 30 ppm Mg (4 ounces per 100 gallons / 30 grams per 100 liters) are recommended to maintain a healthy leaf color. Water the plants only moderately to avoid overgrowth and weak plants.

Timing: Flowering time will be about 60 days in summer and 70 days in winter and is related to day length and temperature. In general, during short days (<12 hours), plants will flower more quickly with smaller discs on shorter stems. Under long day conditions (>13 hours), plants will flower later with larger discs on taller stems.

Note: *Vincent®s are less sensitive to day length than other Sunflower varieties because they are almost day length neutral.*

Insects: Aphids, lygus bugs and whiteflies are the principal pests. Spray as needed.

Harvesting: Cut stems when the flowers are 1/4 open with the petals perpendicular to the center disc. To ensure the longest vase life, cut the stems at the proper stage. Late harvesting will result in reduced vase life.

Post Harvest Care: Stems that are cut at a young stage and placed in fresh water have the best vase life. Flowers often survive 10-14 days; especially if the stems are re-cut and the water is changed regularly. Place flowers in a cool room (45-50°F/7-10°C) and out of direct sunlight.

"All information given is intended for general guidance only and may have to be adjusted to meet individual needs. Cultural details are based on North America conditions and Sakata cannot be held responsible for any crop damage related to the information given herein. Application of recommended growth regulators and chemicals are subject to local and state regulations. Always follow manufacturer's label instructions."