



Early Fall Production QUARTS

SUPERCAL[®] PREMIUM QUART VARIETY RECOMMENDATIONS



CULTURE

CROP TIME

6 weeks (transplant to finish)

PPP

1

PGR

No Ethephon (Florel) needed

3000ppm Daminozide (B-Nine)
spray 1 week after planting

3ppm Paclobutrazol (Bonzi)
drench 2-3 weeks after
Daminozide spray (as needed)*

FEED

17-6-17 or similar at 200ppm

**Pearl White may never need this*

SAKATA[®]

SAKATA ORNAMENTALS
530-414-9983
SakataOrnamentals.com

All information given is intended for general guidance only and may need to be adjusted to meet individual needs. Cultural details are based on North American conditions and Sakata cannot be held responsible for any crop damage related to the information given herein. Application of recommended growth regulators and chemicals are subject to local and state regulations. Always follow manufacturer's label instructions. Testing a few plants prior to treating the entire crop is best.

6.2025



Early Fall Production GALLONS

SUPERCAL[®] PREMIUM GALLON VARIETY RECOMMENDATIONS



CULTURE

CROP TIME

7-8 weeks (transplant to finish)

PPP

1

PGR

Ethephon (Florel) optional, light
sprays (200-250ppm)

Variety recommendations have
more vigor than quart colors,
Ethephon may not be necessary

4000ppm Daminozide (B-Nine)
spray 1 week after planting

5ppm Paclobutrazol (Bonzi)
drench 2-3 weeks after
Daminozide sprayed*

FEED

17-6-17 or similar at 150ppm

* All colors may need 2 drenches depending on
weather and schedule



SAKATA ORNAMENTALS
530-414-9983
SakataOrnamentals.com

All information given is intended for general guidance only and may need to be adjusted to meet individual needs. Cultural details are based on North American conditions and Sakata cannot be held responsible for any crop damage related to the information given herein. Application of recommended growth regulators and chemicals are subject to local and state regulations. Always follow manufacturer's label instructions. Testing a few plants prior to treating the entire crop is best.



Early Fall Production MONO BASKET

SUPERCAL[®] PREMIUM BASKET MONO RECOMMENDATIONS



CULTURE

PROP TIME	4-5 weeks
CROP TIME	8-10 weeks (transplant to finish)
PPP	3 (10" Monos), 5 (12" Monos)
PGR	2500ppm Daminozide (B-Nine) + 500ppm Ethephon (Florel) + 250ppm 6-BA (Configure) tank mix spray on liners 7=10 days before transplant 4000ppm Daminozide (B-Nine) spray within 1 week after transplant 8ppm Paclobutrazol (Bonzi) drenches OR 15ppm Uniconazole (Sumagic) sprays every 2-3 weeks after Daminozide application until ship
FEED	17-6-17 or similar at 150-200ppm Use full minors when leaching NPK

* All colors may need 2 drenches depending on weather and schedule



BORDEAUX



CORAL STAR



PINK MIST



PURPLE
DAWN



RED MAPLE



ROSE STAR



SUNSET
ORANGE IMP



YELLOW
SUN IMP

SAKATA[®]

SAKATA ORNAMENTALS
530-414-9983
SakataOrnamentals.com

All information given is intended for general guidance only and may need to be adjusted to meet individual needs. Cultural details are based on North American conditions and Sakata cannot be held responsible for any crop damage related to the information given herein. Application of recommended growth regulators and chemicals are subject to local and state regulations. Always follow manufacturer's label instructions. Testing a few plants prior to treating the entire crop is best.

6.2025



Early Fall Production PLAYLIST® BASKET



BASKET PLAYLIST® RECOMMENDATIONS

playlist™



CULTURE



AUTUMN DAY



BONFIRE IMP



CRIMSON &
CLOVER



FIRE IN THE SKY
IMP



MARRAKESH
EXPRESS



SOMETHING IN
THE ORANGE

PROP TIME

3-4 weeks

CROP TIME

8-10 weeks (transplant to finish)

PPP

3 (10" Playlist), 6 (12" Playlist)

PGR

2500ppm Daminozide (B-Nine) +
500ppm Ethephon (Florel) +
250ppm 6-BA (Configure)
tank mix spray on liners
7=10 days before transplant

4000ppm Daminozide (B-Nine)
spray within 1 week after transplant

8ppm Paclobutrazol (Bonzi) drenches
OR 15ppm Uniconazole (Sumagic) sprays
every 2-3 weeks after Daminozide
application until ship

FEED

17-6-17 or similar at 150-200ppm

Use full minors when leaching NPK

* All colors may need 2 drenches depending on
weather and schedule

SAKATA®

SAKATA ORNAMENTALS

530-414-9983

SakataOrnamentals.com

All information given is intended for general guidance only and may need to be adjusted to meet individual needs. Cultural details are based on North American conditions and Sakata cannot be held responsible for any crop damage related to the information given herein. Application of recommended growth regulators and chemicals are subject to local and state regulations. Always follow manufacturer's label instructions. Testing a few plants prior to treating the entire crop is best.

6.2025